

Aggrelime

Section 6 - Health Hazard Data

Routes of Entry

Inhalation?	Yes	Skin?	No	Ingestion?	Practically non-toxic
-------------	-----	-------	----	------------	-----------------------

Health Hazards (Acute and Chronic)

Skin: Prolonged, direct contact may cause irritations or abrasions
Eye: Probably irritates eyes upon direct contact. Aggregate particles in dust may cause corneal abrasions
Inhalation: Dust & vapors may irritate nose, throat & lungs; may cause headaches and nausea without proper ventilation

Carcinogenicity: NTP? IARC Monographs? OSHA Regulated?

Possible if inhaled over a long period of time. Respirable crystalline silica has been listed by IARC as carcinogenic to experimental animals has developed limited evidence for carcinogenicity to humans, however, IARC has determined that the carcinogenicity to humans is neither certain or proven. The critical regulatory particle size for respirable silica is #10 µm MMAD (as in the PM NAAQS). The crystalline silica in this product is not of dry, respirable form. Respirable silica may be created by grinding operations on the dried film.

Signs and Symptoms of Exposure:
See Health Hazards

Medical Conditions Generally Aggravated by Exposure
Respiratory problems

Emergency and First Aid Procedures
Inhalation: get to fresh air - consult physician if symptoms persist. Skin: rinse with water and wash with soap and water. Ingestion: seek medical attention immediately. Eyes: flush with water for 15 minutes and consult physician if burning, pain and redness persist.

Section 7 - Precautions for Safe Handling and Use

Steps to be taken in case material is released or spilled
Contain spill with inert material (sand, absorbent, dirt)
Return spills to containers and dispose
Keep out of sewers and bodies of water

Waste Disposal Method
Reuse uncontaminated leftovers when possible
Dispose of material in accordance to local, state and federal regulations

Precautions to be taken in handling and storing
Do not freeze wet materials - may coagulate
Provide sufficient ventilation when applying

Other Precautions
If frozen, thaw at room temperature and avoid breathing vapors. Avoid skin & eye contact also. Do not use after being frozen.

Section 8 - Control Measures

Respiratory Protection (Specify Type)
For dusty conditions use a dust mask approved by NIOAH

Ventilation	Local Exhaust	x	Special	
	Mechanical (General)		Other	

Protective Gloves: Recommended Eye Protection: Goggles to avoid eye contact

Other Protective Clothing or Equipment
Use adequate clothing to minimize skin contact

Work/Hygienic Practices
Clean clothing on a regular basis

EPA Supplier Notification/Environmental:
This trade name product contains no chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Re-authorization Act of 1986 (SARA) and 40 CFR Part 372.
This product contains no ingredients on the list of Extremely Hazardous Substances for SARA Emergency Planning.
Tier I / Tier II Hazard Category (40 CFR 370): Immediate Health Hazard.

The information contained in this bulletin is based upon data considered accurate and is presented in good faith. Master Wall Inc. assumes no liability, either expressed or implied for personal injury or any other conditions caused by the use of this material.